Bijlage Zoekstrategie - Herkennen en verkennen

Database: Embase – datum: 26-05-2025

No	Query	Results
#1	'spirituality'/exp	90501
#2	'spiritual care'/exp	4080
#3	'pastoral care'/exp	816
#4	'religion'/exp	90501
#5	'existentialism'/exp	2014
#6	spiritua*:ti,ab OR religio*:ti,ab OR faith:ti,ab OR pastoral:ti,ab OR 'belief system':ti,ab OR transcendence:ti,ab OR existentia*:ti,ab OR 'life purpose':ti,ab OR 'life satisfaction':ti,ab OR 'inner peace':ti,ab OR prayer:ti,ab OR 'personal values':ti,ab OR 'moral beliefs':ti,ab OR ((meaning NEAR/3 (life OR death)):ti,ab)	127643
#7	'spirituality'/exp OR 'spiritual care'/exp OR 'pastoral care'/exp OR 'religion'/exp OR 'existentialism'/exp OR (spiritua*:ti,ab OR religio*:ti,ab OR faith:ti,ab OR pastoral:ti,ab OR 'belief system':ti,ab OR transcendence:ti,ab OR existentia*:ti,ab OR 'life purpose':ti,ab OR 'life satisfaction':ti,ab OR 'inner peace':ti,ab OR prayer:ti,ab OR 'personal values':ti,ab OR 'moral beliefs':ti,ab OR ((meaning NEAR/3 (life OR death)):ti,ab))	173671
#8	'advance care planning'/exp OR 'advanced cancer'/exp OR 'aged hospital patient'/exp OR 'alzheimer disease'/exp OR 'amyotrophic lateral sclerosis'/exp OR 'elderly care'/exp OR 'degenerative disease'/exp/mj OR 'duchenne muscular dystrophy'/exp OR 'frail elderly'/exp OR 'frontotemporal dementia'/exp OR 'geriatrics'/exp OR 'geriatric patient'/exp OR 'hospice'/exp OR 'hospice care'/exp OR 'institutionalized elderly'/exp OR 'metastasis'/exp OR 'multiple sclerosis'/exp OR 'neurodegeneration with brain iron accumulation'/exp OR 'palliative therapy'/exp OR 'parkinson disease'/exp OR 'perry syndrome'/exp OR 'pick presenile dementia'/exp OR 'prion disease'/exp OR 'senile dementia'/exp OR 'striatonigral degeneration'/exp OR 'subacute combined degeneration'/exp OR 'synucleinopathy'/exp OR 'tauopathy'/exp OR 'terminal care'/de OR 'terminally ill patient'/exp OR 'very elderly'/exp OR 'wilson disease'/exp OR 'palliat*':ti,ab,kw OR 'reduced life expectanc*':ti,ab,kw OR 'end of life':ti,ab,kw OR 'terminally ill':ti,ab,kw OR 'terminal care':ti,ab,kw OR 'terminally sick':ti,ab,kw OR 'hospice*':ti,ab,kw OR 'terminal stage':ti,ab,kw OR 'advance* care*':ti,ab,kw OR 'advanced disease':ti,ab,kw OR 'advanced illness':ti,ab,kw OR 'life-limiting':ti,ab,kw OR 'metasta*':ti,kw OR ((('end stage' OR advanced) NEAR/5 (kidney OR renal OR ckd OR 'respiratory disease' OR 'chronic obstructive pulmonary disease' OR 'heart failure' OR 'cancer' OR neoplasm* OR carcinoma OR liver)):ti,ab,kw) OR frail*:de,ab,ti OR geriatri*:de,ab,ti OR ((oldest NEXT/1 old*):de,ab,ti) OR senium:de,ab,ti OR ((very NEXT/1 old*):de,ab,ti) OR septuagenarian*:de,ab,ti OR octagenarian*:de,ab,ti OR octogenarian*:de,ab,ti OR nonagenarian*:de,ab,ti OR centarian*:de,ab,ti OR centenarian*:de,ab,ti OR supercentenarian*:de,ab,ti OR 'degenerative disease':ti,kw OR 'neurodegenerative disease':ti,kw OR 'pick complex':ti,kw OR 'pick`s complex':ti,kw OR 'hallervorden spatz disease':ti,kw OR 'hallervorden spatz syndrome':ti,kw OR 'nbia disorder':ti,kw OR 'neurodegeneration with brain iron accumulation':ti,kw OR 'pantothenate kinase associated neurodegeneration':ti,kw OR 'perry syndrome':ti,kw OR parkinson:ti,kw OR 'senile confusion':ti,kw OR 'senile psychosis':ti,kw OR 'nigroneostriatal degeneration':ti,kw OR 'nigrostriatal degeneration':ti,kw OR 'striatonigral degeneration':ti,kw OR 'strionigral degeneration':ti,kw OR 'synucleinopathy':ti,kw OR	3140988

	'tauopathy':ti,kw OR 'wilson disease':ti,kw OR 'degeneratio hepato lenticularis':ti,kw OR 'hepatocerebral degeneration':ti,kw OR 'hepatolenticular degeneration':ti,kw OR 'hepatolenticular syndrome':ti,kw OR 'morbus wilson':ti,kw OR 'progressive lenticular degeneration':ti,kw OR 'wilson degeneration':ti,kw OR 'wilson syndrome':ti,kw OR 'chariot disease':ti,kw OR 'disseminated sclerosis':ti,kw OR 'insular sclerosis':ti,kw OR 'multiple sclerosis':ti,kw OR 'sclerosis multiplex':ti,kw OR 'lou gehrig disease':ti,kw OR 'lou gehrig`s disease':ti,kw OR 'amyotrophic lateral sclerosis':ti,kw OR duchenne:ti,kw	
#9	('spirituality'/exp OR 'spiritual care'/exp OR 'pastoral care'/exp OR 'religion'/exp OR 'existentialism'/exp OR (spiritua*:ti,ab OR religio*:ti,ab OR faith:ti,ab OR pastoral:ti,ab OR 'belief system':ti,ab OR transcendence:ti,ab OR existentia*:ti,ab OR 'life purpose':ti,ab OR 'life satisfaction':ti,ab OR 'inner peace':ti,ab OR prayer:ti,ab OR 'personal values':ti,ab OR 'moral beliefs':ti,ab OR ((meaning NEAR/3 (life OR death)):ti,ab))) AND ('advance care planning'/exp OR 'advanced cancer'/exp OR 'aged hospital patient'/exp OR 'alzheimer disease'/exp OR 'amyotrophic lateral sclerosis'/exp OR 'elderly care'/exp OR 'degenerative disease'/exp/mj OR 'duchenne muscular dystrophy'/exp OR 'frail elderly'/exp OR 'frontotemporal dementia'/exp OR 'geriatrics'/exp OR 'geriatric patient'/exp OR 'hospice'/exp OR 'hospice care'/exp OR 'institutionalized elderly'/exp OR 'metastasis'/exp OR 'multiple sclerosis'/exp OR 'neurodegeneration with brain iron accumulation'/exp OR 'palliative therapy'/exp OR 'parkinson disease'/exp OR 'perry syndrome'/exp OR 'pick presenile dementia'/exp OR 'prion disease'/exp OR 'senile dementia'/exp OR 'striatonigral degeneration'/exp OR 'subacute combined degeneration'/exp OR 'synucleinopathy'/exp OR 'tauopathy'/exp OR 'terminal care'/de OR 'terminally ill patient'/exp OR 'very elderly'/exp OR 'wilson disease'/exp OR 'palliat*':ti,ab,kw OR 'reduced life expectanc*':ti,ab,kw OR 'end of life':ti,ab,kw OR 'terminally ill':ti,ab,kw OR 'terminal care':ti,ab,kw OR 'terminally sick':ti,ab,kw OR 'hospice*':ti,ab,kw OR 'terminal stage':ti,ab,kw OR 'advance* care*':ti,ab,kw OR 'advanced disease':ti,ab,kw OR 'advanced illness':ti,ab,kw OR 'life-limiting':ti,ab,kw OR 'metasta*':ti,kw OR ((('end stage' OR advanced) NEAR/5 (kidney OR renal OR ckd OR 'respiratory disease' OR 'chronic obstructive pulmonary disease' OR 'heart failure' OR 'cancer' OR neoplasm* OR carcinoma OR liver)):ti,ab,kw) OR frail*:de,ab,ti OR geriatri*:de,ab,ti OR ((oldest NEXT/1 old*):de,ab,ti) OR senium:de,ab,ti OR ((very NEXT/1 old*):de,ab,ti) OR septuagenarian*:de,ab,ti OR octagenarian*:de,ab,ti OR octogenarian*:de,ab,ti OR nonagenarian*:de,ab,ti OR centarian*:de,ab,ti OR centenarian*:de,ab,ti OR supercentenarian*:de,ab,ti OR 'degenerative disease':ti,kw OR 'neurodegenerative disease':ti,kw OR 'pick complex':ti,kw OR 'pick`s complex':ti,kw OR 'hallervorden spatz disease':ti,kw OR 'hallervorden spatz syndrome':ti,kw OR 'nbia disorder':ti,kw OR 'neurodegeneration with brain iron accumulation':ti,kw OR 'pantothenate kinase associated neurodegeneration':ti,kw OR 'perry syndrome':ti,kw OR parkinson:ti,kw OR 'senile confusion':ti,kw OR 'senile psychosis':ti,kw OR 'nigroneostriatal degeneration':ti,kw OR 'nigrostriatal degeneration':ti,kw OR 'striatonigral degeneration':ti,kw OR 'strionigral degeneration':ti,kw OR 'synucleinopathy':ti,kw OR 'tauopathy':ti,kw OR 'wilson disease':ti,kw OR 'degeneratio hepato lenticularis':ti,kw OR 'hepatocerebral degeneration':ti,kw OR 'hepatolenticular degeneration':ti,kw OR 'hepatolenticular syndrome':ti,kw OR 'morbus wilson':ti,kw OR 'progressive lenticular degeneration':ti,kw OR 'wilson degeneration':ti,kw OR 'wilson syndrome':ti,kw OR 'chariot disease':ti,kw OR 'disseminated sclerosis':ti,kw OR 'insular sclerosis':ti,kw OR 'multiple sclerosis':ti,kw OR 'sclerosis multiplex':ti,kw OR 'lou gehrig disease':ti,kw OR 'lou gehrig`s disease':ti,kw OR 'amyotrophic lateral sclerosis':ti,kw OR duchenne:ti,kw) NOT ('conference abstract'/it OR 'editorial'/it OR 'letter'/it OR 'note'/it) NOT (('animal'/exp OR 'animal experiment'/exp OR 'animal model'/exp OR 'nonhuman'/exp) NOT 'human'/exp)	17183
#10	'meta analysis'/exp OR 'meta analysis (topic)'/exp OR metaanaly*:ti,ab OR 'meta analy*':ti,ab OR metanaly*:ti,ab OR 'systematic review'/de OR 'cochrane database of systematic reviews'/jt OR prisma:ti,ab OR prospero:ti,ab OR (((systemati* OR	1142749

	scoping OR umbrella OR 'structured literature') NEAR/3 (review* OR overview*)):ti,ab) OR ((systemic* NEAR/1 review*):ti,ab) OR (((systemati* OR literature OR database* OR 'data base*') NEAR/10 search*):ti,ab) OR (((structured OR comprehensive* OR systemic*) NEAR/3 search*):ti,ab) OR (((literature NEAR/3 review*):ti,ab) AND (search*:ti,ab OR database*:ti,ab OR 'data base*':ti,ab)) OR (('data extraction':ti,ab OR 'data source*':ti,ab) AND 'study selection':ti,ab) OR ('search strategy':ti,ab AND 'selection criteria':ti,ab) OR ('data source*':ti,ab AND 'data synthesis':ti,ab) OR medline:ab OR pubmed:ab OR embase:ab OR cochrane:ab OR (((critical OR rapid) NEAR/2 (review* OR overview* OR synthes*)):ti) OR ((((critical* OR rapid*) NEAR/3 (review* OR overview* OR synthes*)):ab) AND (search*:ab OR database*:ab OR 'data base*':ab)) OR metasynthes*:ti,ab OR 'meta synthes*':ti,ab	
#11	'randomized controlled trial'/exp OR random*:ti,ab OR (((pragmatic OR practical) NEAR/1 'clinical trial*'):ti,ab) OR ((('non inferiority' OR noninferiority OR superiority OR equivalence) NEAR/3 trial*):ti,ab) OR rct:ti,ab,kw	2491532
#12	'clinical trial'/exp OR 'randomization'/exp OR 'single blind procedure'/exp OR 'double blind procedure'/exp OR 'crossover procedure'/exp OR 'placebo'/exp OR 'prospective study'/exp OR rct:ab,ti OR random*:ab,ti OR 'single blind':ab,ti OR 'randomised controlled trial':ab,ti OR 'randomized controlled trial'/exp OR placebo*:ab,ti	4580452
#13	'major clinical study'/de OR 'clinical study'/de OR 'case control study'/de OR 'family study'/de OR 'longitudinal study'/de OR 'retrospective study'/de OR 'prospective study'/de OR 'comparative study'/de OR 'cohort analysis'/de OR ((cohort NEAR/1 (study OR studies)):ab,ti) OR (('case control' NEAR/1 (study OR studies)):ab,ti) OR (('follow up' NEAR/1 (study OR studies)):ab,ti) OR (observational NEAR/1 (study OR studies)) OR ((epidemiologic NEAR/1 (study OR studies)):ab,ti) OR (('cross sectional' NEAR/1 (study OR studies)):ab,ti)	8952474
#14	. 'case control study'/de OR 'comparative study'/exp OR 'control group'/de OR 'controlled study'/de OR 'controlled clinical trial'/de OR 'crossover procedure'/de OR 'double blind procedure'/de OR 'phase 2 clinical trial'/de OR 'phase 3 clinical trial'/de OR 'phase 4 clinical trial'/de OR 'pretest posttest design'/de OR 'pretest posttest control group design'/de OR 'quasi experimental study'/de OR 'single blind procedure'/de OR 'triple blind procedure'/de OR (((control OR controlled) NEAR/6 trial):ti,ab,kw) OR (((control OR controlled) NEAR/6 (study OR studies)):ti,ab,kw) OR (((control OR controlled) NEAR/1 active):ti,ab,kw) OR 'open label*':ti,ab,kw OR (((double OR two OR three OR multi OR trial) NEAR/1 (arm OR arms)):ti,ab,kw) OR ((allocat* NEAR/10 (arm OR arms)):ti,ab,kw) OR placebo*:ti,ab,kw OR 'sham-control*':ti,ab,kw OR (((single OR double OR triple OR assessor) NEAR/1 (blind* OR masked)):ti,ab,kw) OR nonrandom*:ti,ab,kw OR 'non-random*':ti,ab,kw OR 'quasi-experiment*':ti,ab,kw OR crossover:ti,ab,kw OR 'cross over':ti,ab,kw OR 'parallel group*':ti,ab,kw OR 'factorial trial':ti,ab,kw OR ((phase NEAR/5 (study OR trial)):ti,ab,kw) OR ((case* NEAR/6 (matched OR control*)):ti,ab,kw) OR ((match* NEAR/6 (pair OR pairs OR cohort* OR control* OR group* OR healthy OR age OR sex OR gender OR patient* OR subject* OR participant*)):ti,ab,kw) OR ((propensity NEAR/6 (scor* OR match*)):ti,ab,kw) OR versus:ti OR vs:ti OR compar*:ti OR ((compar* NEAR/1 study):ti,ab,kw) OR (('major clinical study'/de OR 'clinical study'/de OR 'cohort analysis'/de OR 'observational study'/de OR 'cross-sectional study'/de OR 'multicenter study'/de OR 'correlational study'/de OR 'follow up'/de OR cohort*:ti,ab,kw OR 'follow up':ti,ab,kw OR followup:ti,ab,kw OR longitudinal*:ti,ab,kw OR prospective*:ti,ab,kw OR retrospective*:ti,ab,kw OR observational*:ti,ab,kw OR 'cross sectional*':ti,ab,kw OR cross?ectional*:ti,ab,kw OR multicent*:ti,ab,kw OR 'multi-cent*':ti,ab,kw OR consecutive*:ti,ab,kw) AND (group:ti,ab,kw OR groups:ti,ab,kw OR subgroup*:ti,ab,kw OR versus:ti,ab,kw OR vs:ti,ab,kw OR compar*:ti,ab,kw OR 'odds ratio*':ab OR 'relative odds':ab OR 'risk	16364227

	ratio*':ab OR 'relative risk*':ab OR 'rate ratio':ab OR aor:ab OR arr:ab OR rrr:ab OR ((('or' OR 'rr') NEAR/6 ci):ab)))	
#15	(('spirituality'/exp OR 'spiritual care'/exp OR 'pastoral care'/exp OR 'religion'/exp OR 'existentialism'/exp OR (spiritua*:ti,ab OR religio*:ti,ab OR faith:ti,ab OR pastoral:ti,ab OR 'belief system':ti,ab OR transcendence:ti,ab OR existentia*:ti,ab OR 'life purpose':ti,ab OR 'life satisfaction':ti,ab OR 'inner peace':ti,ab OR prayer:ti,ab OR 'personal values':ti,ab OR 'moral beliefs':ti,ab OR ((meaning NEAR/3 (life OR death)):ti,ab))) AND ('advance care planning'/exp OR 'advanced cancer'/exp OR 'aged hospital patient'/exp OR 'alzheimer disease'/exp OR 'amyotrophic lateral sclerosis'/exp OR 'elderly care'/exp OR 'degenerative disease'/exp/mj OR 'duchenne muscular dystrophy'/exp OR 'frail elderly'/exp OR 'frontotemporal dementia'/exp OR 'geriatrics'/exp OR 'geriatric patient'/exp OR 'hospice'/exp OR 'hospice care'/exp OR 'institutionalized elderly'/exp OR 'metastasis'/exp OR 'multiple sclerosis'/exp OR 'neurodegeneration with brain iron accumulation'/exp OR 'palliative therapy'/exp OR 'parkinson disease'/exp OR 'perry syndrome'/exp OR 'pick presenile dementia'/exp OR 'prion disease'/exp OR 'senile dementia'/exp OR 'striatonigral degeneration'/exp OR 'subacute combined degeneration'/exp OR 'synucleinopathy'/exp OR 'tauopathy'/exp OR 'terminal care'/de OR 'terminally ill patient'/exp OR 'very elderly'/exp OR 'wilson disease'/exp OR 'palliat*':ti,ab,kw OR 'reduced life expectanc*':ti,ab,kw OR 'end of life':ti,ab,kw OR 'terminally ill':ti,ab,kw OR 'terminal care':ti,ab,kw OR 'terminally sick':ti,ab,kw OR 'hospice*':ti,ab,kw OR 'terminal stage':ti,ab,kw OR 'advance* care*':ti,ab,kw OR 'advanced disease':ti,ab,kw OR 'advanced illness':ti,ab,kw OR 'life-limiting':ti,ab,kw OR 'metasta*':ti,kw OR ((('end stage' OR advanced) NEAR/5 (kidney OR renal OR ckd OR 'respiratory disease' OR 'chronic obstructive pulmonary disease' OR 'heart failure' OR 'cancer' OR neoplasm* OR carcinoma OR liver)):ti,ab,kw) OR frail*:de,ab,ti OR geriatri*:de,ab,ti OR ((oldest NEXT/1 old*):de,ab,ti) OR senium:de,ab,ti OR ((very NEXT/1 old*):de,ab,ti) OR septuagenarian*:de,ab,ti OR octagenarian*:de,ab,ti OR octogenarian*:de,ab,ti OR nonagenarian*:de,ab,ti OR centarian*:de,ab,ti OR centenarian*:de,ab,ti OR supercentenarian*:de,ab,ti OR 'degenerative disease':ti,kw OR 'neurodegenerative disease':ti,kw OR 'pick complex':ti,kw OR 'pick`s complex':ti,kw OR 'hallervorden spatz disease':ti,kw OR 'hallervorden spatz syndrome':ti,kw OR 'nbia disorder':ti,kw OR 'neurodegeneration with brain iron accumulation':ti,kw OR 'pantothenate kinase associated neurodegeneration':ti,kw OR 'perry syndrome':ti,kw OR parkinson:ti,kw OR 'senile confusion':ti,kw OR 'senile psychosis':ti,kw OR 'nigroneostriatal degeneration':ti,kw OR 'nigrostriatal degeneration':ti,kw OR 'striatonigral degeneration':ti,kw OR 'strionigral degeneration':ti,kw OR 'synucleinopathy':ti,kw OR 'tauopathy':ti,kw OR 'wilson disease':ti,kw OR 'degeneratio hepato lenticularis':ti,kw OR 'hepatocerebral degeneration':ti,kw OR 'hepatolenticular degeneration':ti,kw OR 'hepatolenticular syndrome':ti,kw OR 'morbus wilson':ti,kw OR 'progressive lenticular degeneration':ti,kw OR 'wilson degeneration':ti,kw OR 'wilson syndrome':ti,kw OR 'chariot disease':ti,kw OR 'disseminated sclerosis':ti,kw OR 'insular sclerosis':ti,kw OR 'multiple sclerosis':ti,kw OR 'sclerosis multiplex':ti,kw OR 'lou gehrig disease':ti,kw OR 'lou gehrig`s disease':ti,kw OR 'amyotrophic lateral sclerosis':ti,kw OR duchenne:ti,kw) NOT ('conference abstract'/it OR 'editorial'/it OR 'letter'/it OR 'note'/it) NOT (('animal'/exp OR 'animal experiment'/exp OR 'animal model'/exp OR 'nonhuman'/exp) NOT 'human'/exp)) AND (('meta analysis'/exp OR 'meta analysis (topic)'/exp OR metaanaly*:ti,ab OR 'meta analy*':ti,ab OR metanaly*:ti,ab OR 'systematic review'/de OR 'cochrane database of systematic reviews'/jt OR prisma:ti,ab OR prospero:ti,ab OR (((systemati* OR scoping OR umbrella OR 'structured literature') NEAR/3 (review* OR overview*)):ti,ab) OR ((systemic* NEAR/1 review*):ti,ab) OR (((systemati* OR literature OR database* OR 'data base*') NEAR/10 search*):ti,ab) OR (((structured OR comprehensive* OR systemic*) NEAR/3 search*):ti,ab) OR (((literature NEAR/3 review*):ti,ab) AND (search*:ti,ab OR database*:ti,ab OR 'data base*':ti,ab)) OR (('data extraction':ti,ab OR 'data source*':ti,ab) AND 'study selection':ti,ab) OR ('search strategy':ti,ab AND 'selection criteria':ti,ab) OR ('data source*':ti,ab AND 'data synthesis':ti,ab) OR medline:ab OR	7506

	pubmed:ab OR embase:ab OR cochrane:ab OR (((critical OR rapid) NEAR/2 (review* OR overview* OR synthes*)):ti) OR ((((critical* OR rapid*) NEAR/3 (review* OR overview* OR synthes*)):ab) AND (search*:ab OR database*:ab OR 'data base*':ab)) OR metasynthes*:ti,ab OR 'meta synthes*':ti,ab) OR ('randomized controlled trial'/exp OR random*:ti,ab OR (((pragmatic OR practical) NEAR/1 'clinical trial*'):ti,ab) OR ((('non inferiority' OR noninferiority OR superiority OR equivalence) NEAR/3 trial*):ti,ab) OR rct:ti,ab,kw) OR ('clinical trial'/exp OR 'randomization'/exp OR 'single blind procedure'/exp OR 'double blind procedure'/exp OR 'crossover procedure'/exp OR 'placebo'/exp OR 'prospective study'/exp OR rct:ab,ti OR random*:ab,ti OR 'single blind':ab,ti OR 'randomised controlled trial':ab,ti OR 'randomized controlled trial'/exp OR placebo*:ab,ti) OR ('major clinical study'/de OR 'clinical study'/de OR 'case control study'/de OR 'family study'/de OR 'longitudinal study'/de OR 'retrospective study'/de OR 'prospective study'/de OR 'comparative study'/de OR 'cohort analysis'/de OR ((cohort NEAR/1 (study OR studies)):ab,ti) OR (('case control' NEAR/1 (study OR studies)):ab,ti) OR (('follow up' NEAR/1 (study OR studies)):ab,ti) OR (observational NEAR/1 (study OR studies)) OR ((epidemiologic NEAR/1 (study OR studies)):ab,ti) OR (('cross sectional' NEAR/1 (study OR studies)):ab,ti)) OR ('case control study'/de OR 'comparative study'/exp OR 'control group'/de OR 'controlled study'/de OR 'controlled clinical trial'/de OR 'crossover procedure'/de OR 'double blind procedure'/de OR 'phase 2 clinical trial'/de OR 'phase 3 clinical trial'/de OR 'phase 4 clinical trial'/de OR 'pretest posttest design'/de OR 'pretest posttest control group design'/de OR 'quasi experimental study'/de OR 'single blind procedure'/de OR 'triple blind procedure'/de OR (((control OR controlled) NEAR/6 trial):ti,ab,kw) OR (((control OR controlled) NEAR/6 (study OR studies)):ti,ab,kw) OR (((control OR controlled) NEAR/1 active):ti,ab,kw) OR 'open label*':ti,ab,kw OR (((double OR two OR three OR multi OR trial) NEAR/1 (arm OR arms)):ti,ab,kw) OR ((allocat* NEAR/10 (arm OR arms)):ti,ab,kw) OR placebo*:ti,ab,kw OR 'sham-control*':ti,ab,kw OR (((single OR double OR triple OR assessor) NEAR/1 (blind* OR masked)):ti,ab,kw) OR nonrandom*:ti,ab,kw OR 'non-random*':ti,ab,kw OR 'quasi-experiment*':ti,ab,kw OR crossover:ti,ab,kw OR 'cross over':ti,ab,kw OR 'parallel group*':ti,ab,kw OR 'factorial trial':ti,ab,kw OR ((phase NEAR/5 (study OR trial)):ti,ab,kw) OR ((case* NEAR/6 (matched OR control*)):ti,ab,kw) OR ((match* NEAR/6 (pair OR pairs OR cohort* OR control* OR group* OR healthy OR age OR sex OR gender OR patient* OR subject* OR participant*)):ti,ab,kw) OR ((propensity NEAR/6 (scor* OR match*)):ti,ab,kw) OR versus:ti OR vs:ti OR compar*:ti OR ((compar* NEAR/1 study):ti,ab,kw) OR (('major clinical study'/de OR 'clinical study'/de OR 'cohort analysis'/de OR 'observational study'/de OR 'cross-sectional study'/de OR 'multicenter study'/de OR 'correlational study'/de OR 'follow up'/de OR cohort*:ti,ab,kw OR 'follow up':ti,ab,kw OR followup:ti,ab,kw OR longitudinal*:ti,ab,kw OR prospective*:ti,ab,kw OR retrospective*:ti,ab,kw OR observational*:ti,ab,kw OR 'cross sectional*':ti,ab,kw OR cross?ectional*:ti,ab,kw OR multicent*:ti,ab,kw OR 'multi-cent*':ti,ab,kw OR consecutive*:ti,ab,kw) AND (group:ti,ab,kw OR groups:ti,ab,kw OR subgroup*:ti,ab,kw OR versus:ti,ab,kw OR vs:ti,ab,kw OR compar*:ti,ab,kw OR 'odds ratio*':ab OR 'relative odds':ab OR 'risk ratio*':ab OR 'relative risk*':ab OR 'rate ratio':ab OR aor:ab OR arr:ab OR rrr:ab OR ((('or' OR 'rr') NEAR/6 ci):ab)))))	

Database: Ovid Medline – datum: 26-05-2025

No	Query	**Results**
#1	Spirituality	9951
#2	"Religion and Medicine"/ or Religion/ or "Religion and Psychology"	2 34069
#3	Pastoral Care	3804

#4	Spiritual Therapies	1288
#5	Existentialism	2096
#6	spiritua* or religio* or faith or pastoral or "belief system" or transcendence or existentia* or "life purpose" or "life satisfaction" or "inner peace" or prayer or "personal values" or "moral beliefs" or (meaning adj3 (life or death))).ti,ab.	103850
#7	1 or 2 or 3 or 4 or 5 or 6	123948
#8	Terminal Care/ or Hospice Care/ or "Hospice and Palliative Care Nursing"/ or Terminally Ill/ or exp Neoplasm Metastasis/ or exp Advance Care Planning/ or exp Palliative Care/ or exp "Aged, 80 and over"/ or exp Frail Elderly/ or Alzheimer Disease/ or Amyotrophic Lateral Sclerosis/ or exp Neurodegenerative Diseases/ or Muscular Dystrophy, Duchenne/ or exp Dementia/ or exp Geriatrics/ or exp Multiple Sclerosis/ or Palliative Medicine/ or exp Parkinsonian Disorders/ or exp Prion Diseases/ or Striatonigral Degeneration/ or Synucleinopathies/ or palliat*.ti,ab,kf. or reduced life expectanc*.ti,ab,kf. or end of life.ti,ab,kf. or terminally ill.ti,ab,kf. or terminal care.ti,ab,kf. or terminally sick.ti,ab,kf. or hospice*.ti,ab,kf. or terminal stage.ti,ab,kf. or advance* care*.ti,ab,kf. or advanced disease.ti,ab,kf. or advanced illness.ti,ab,kf. or life-limiting.ti,ab,kf. or metasta*.ti,kf. or ((end stage or advanced) adj5 (kidney or renal or ckd or respiratory disease or chronic obstructive pulmonary disease or heart failure or cancer or neoplasm* or carcinoma or liver)).ti,ab,kf. or frail*.ti,ab,kf. or geriatri*.ti,ab,kf. or (oldest adj1 old*).ti,ab,kf. or senium.ti,ab,kf. or (very adj1 old*).ti,ab,kf. or septuagenarian*.ti,ab,kf. or octagenarian*.ti,ab,kf. or octogenarian*.ti,ab,kf. or nonagenarian*.ti,ab,kf. or centarian*.ti,ab,kf. or centenarian*.ti,ab,kf. or supercentenarian*.ti,ab,kf. or degenerative disease.ti,kf. or neurodegenerative disease.ti,kf. or pick complex.ti,kf. or hallervorden spatz disease.ti,kf. or hallervorden spatz syndrome.ti,kf. or nbia disorder.ti,kf. or neurodegeneration with brain iron accumulation.ti,kf. or pantothenate kinase associated neurodegeneration.ti,kf. or perry syndrome.ti,kf. or parkinson.ti,kf. or senile confusion.ti,kf. or senile psychosis.ti,kf. or nigroneostriatal degeneration.ti,kf. or nigrostriatal degeneration.ti,kf. or striatonigral degeneration.ti,kf. or strionigral degeneration.ti,kf. or synucleinopathy.ti,kf. or tauopathy.ti,kf. or wilson disease.ti,kf. or degeneratio hepato lenticularis.ti,kf. or hepatocerebral degeneration.ti,kf. or hepatolenticular degeneration.ti,kf. or hepatolenticular syndrome.ti,kf. or morbus wilson.ti,kf. or progressive lenticular degeneration.ti,kf. or wilson degeneration.ti,kf. or wilson syndrome.ti,kf. or chariot disease.ti,kf. or disseminated sclerosis.ti,kf. or insular sclerosis.ti,kf. or multiple sclerosis.ti,kf. or sclerosis multiplex.ti,kf. or lou gehrig disease.ti,kf. or amyotrophic lateral sclerosis.ti,kf. or duchenne.ti,kf.	2441823
#9	7 and 8	17687
#10	9 not ((exp animals/ or exp models, animal/) not humans/) not (letter/ or comment/ or editorial/)	17295
#11	meta-analysis/ or meta-analysis as topic/ or (metaanaly* or meta-analy* or metanaly*).ti,ab,kf. or systematic review/ or cochrane.jw. or (prisma or prospero).ti,ab,kf. or ((systemati* or scoping or umbrella or "structured literature") adj3 (review* or overview*)).ti,ab,kf. or (systemic* adj1 review*).ti,ab,kf. or ((systemati* or literature or database* or data-base*) adj10 search*).ti,ab,kf. or ((structured or comprehensive* or systemic*) adj3 search*).ti,ab,kf. or ((literature adj3 review*) and (search* or database* or data-base*)).ti,ab,kf. or (("data extraction" or "data source*") and "study selection").ti,ab,kf. or ("search strategy" and "selection criteria").ti,ab,kf. or ("data source*" and "data synthesis").ti,ab,kf. or (medline or pubmed or embase or cochrane).ab. or ((critical or rapid) adj2 (review* or overview* or synthes*)).ti. or (((critical* or rapid*) adj3 (review* or	4622053

	overview* or synthes*)) and (search* or database* or data-base*)).ab. or (metasynthes* or meta-synthes*).ti,ab,kf. or exp Guideline/ or review/ or guideline*.ti,ab,kf. or guidance.ti,ab,kf. or review.ti,kf.	
#12	exp clinical trial/ or randomized controlled trial/ or exp clinical trials as topic/ or randomized controlled trials as topic/ or Random Allocation/ or Double-Blind Method/ or Single-Blind Method/ or (clinical trial, phase i or clinical trial, phase ii or clinical trial, phase iii or clinical trial, phase iv or controlled clinical trial or randomized controlled trial or multicenter study or clinical trial).pt. or random*.ti,ab. or (clinic* adj trial*).tw. or ((singl* or doubl* or treb* or tripl*) adj (blind$3 or mask$3)).tw. or Placebos/ or placebo*.tw.	2890157
#13	Epidemiologic studies/ or case control studies/ or exp cohort studies/ or Controlled Before-After Studies/ or Case control.tw. or cohort.tw. or Cohort analy$.tw. or (Follow up adj (study or studies)).tw. or (observational adj (study or studies)).tw. or Longitudinal.tw. or Retrospective*.tw. or prospective*.tw. or consecutive*.tw. or Cross sectional.tw. or Cross-sectional studies/ or historically controlled study/ or interrupted time series analysis/	5048169
#14	Case-control Studies/ or clinical trial, phase ii/ or clinical trial, phase iii/ or clinical trial, phase iv/ or comparative study/ or control groups/ or controlled before-after studies/ or controlled clinical trial/ or double-blind method/ or historically controlled study/ or matched-pair analysis/ or single-blind method/ or (((control or controlled) adj6 (study or studies or trial)) or (compar* adj (study or studies)) or ((control or controlled) adj1 active) or "open label*" or ((double or two or three or multi or trial) adj (arm or arms)) or (allocat* adj10 (arm or arms)) or placebo* or "sham-control*" or ((single or double or triple or assessor) adj1 (blind* or masked)) or nonrandom* or "non-random*" or "quasi-experiment*" or "parallel group*" or "factorial trial" or "pretest posttest" or (phase adj5 (study or trial)) or (case* adj6 (matched or control*)) or (match* adj6 (pair or pairs or cohort* or control* or group* or healthy or age or sex or gender or patient* or subject* or participant*)) or (propensity adj6 (scor* or match*))).ti,ab,kf. or (confounding adj6 adjust*).ti,ab. or (versus or vs or compar*).ti. or ((exp cohort studies/ or epidemiologic studies/ or multicenter study/ or observational study/ or seroepidemiologic studies/ or (cohort* or 'follow up' or followup or longitudinal* or prospective* or retrospective* or observational* or multicent* or 'multi-cent*' or consecutive*).ti,ab,kf.) and ((group or groups or subgroup* or versus or vs or compar*).ti,ab,kf. or ('odds ratio*' or 'relative odds' or 'risk ratio*' or 'relative risk*' or aor or arr or rrr).ab. or (("OR" or "RR") adj6 CI).ab.))	5988653
#15	15 10 and (11 or 12 or 13 or 14)	8621

Database: CINAHL – datum: 26-05-2025

No	Query	**Results**
#1	(MH "Spirituality") OR ((MH "Religion and Medicine") OR (MH "Religion") OR (MH "Religion and Psychology")) OR (MH "Pastoral Care") OR (MH "Spiritual Healing") OR (MH "Existentialism") OR ((spiritua* OR religio* OR faith OR pastoral OR "belief system" OR transcendence OR existentia* OR "life purpose" OR "life satisfaction" OR "inner peace" OR prayer OR "personal values" OR "moral beliefs" OR (meaning N3 (life OR death))).TI,AB.)	23795
#2	(MH "Terminal Care") OR (MH "Terminally Ill Patients") OR (MH "Palliative Care") OR (MH "Hospice and Palliative Nursing") OR (MH "Palliative Medicine") OR (MH "Hospice and Palliative Nurses Association") OR (MH "Hospice Patients") OR (MH "Hospices") OR (MH "Hospice Care") OR (TI palliati* OR AB palliati*) OR (TI “reduces life expectanc*” OR “AB “reduced life expectanc*”) OR (TI "end of life"	712546

	OR AB "end of life") OR (TI "terminally sick" OR AB "terminally sick") OR (TI Hospice OR AB Hospice) OR (...	
#3	S1 AND S2	3715
#4	(MH "Meta Analysis") or TX (meta-analy* or metanaly* or metaanaly* or meta analy*) or TX (systematic* N5 review*) or (evidence* N5 review*) or (methodol* N5 review*) or (quantitativ* N5 review*) or TX (systematic* N5 overview*) or (evidence* N5 overview*) or (methodol* N5 overview*) or (quantitativ* N5 overview*) or TX (systematic* N5 survey*) or (evidence* N5 survey*) or (methodol* N5 survey*) or (quantitativ* N5 survey*) or TX (systematic* N5 overview*) or (evidence* N5 overview*) or (methodol ...	590434
#5	(exp clinical trial/ or randomized controlled trial/ or randomized controlled trials as topic/ or Random Allocation/ or Double-Blind Method/ or Single-Blind Method/ or (clinical trial, phase i or clinical trial, phase ii or clinical trial, phase iii or clinical trial, phase iv or controlled clinical trial or randomized controlled trial or multicenter study or clinical trial).pt. or random*.ti,ab. or (clinic* adj trial*).tw. or ((singl* or doubl* or treb* or tripl*) adj (blind$3 or mask$3)).tw. o ...	270230
#6	Epidemiologic studies/ or case control studies/ or exp Cohort Analysis/ or Controlled Before-After Studies/ or Case control.tw. or cohort*.tw. or Cohort analy$.tw. or (Follow up adj (study or studies)).tw. or (observational adj (study or studies)).tw. or Longitudinal.tw. or Retrospective*.tw. or prospective*.tw. or consecutive*.tw. or Cross sectional.tw. or Cross-sectional studies/ or historically controlled study/ or interrupted time series analysis/	418413
#7	S4 OR S5 OR S6	1194261
#8	S3 AND S7	824